L	Hits	Search Text	DB	Time stamp
Number				
1	262	((network adj processor\$1) NP) same driver\$1	USPAT; US-PGPUB; EPO; JPO;	2004/02/24 13:17
2	94	(((network adj processor\$1) NP) and (driver\$1 near5 (module\$1 component\$1 API\$1))) and dependent and in\$1dependent	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24 13:25
3	0	719/321-327	IBM_TDB USPAT; US-PGPUB;	2004/02/24 13:26
4	537	719/321-327.ccls.	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24 13:26
5	2	719/321-327.ccls. and (((network adj processor\$1) NP) same driver\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24 13:26
6	8	719/321-327.ccls. and ((network adj processor\$1) NP) and driver\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24 13:27
-	12	(((network adj processor\$1) NP) same driver\$1) and (control adj processor\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/16 17:04
-	161	((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/16 17:04
-	9	(((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (module\$1 near5 driver\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/04/16 17:08
-	129	(((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/04/16 17:09
_	96	((((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)) and (API\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:09
-	96	driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)) and (API\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:10
-	43	driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)) and (API\$1 module\$1 (software adj component\$1))) and ((translat\$3 convert\$3) near3 (request\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:16
-	146	message\$1 data)) ((network adj processor\$1) NP) and (driver\$1 near5 (module\$1 component\$1 API\$1))	USPAT; US-PGPUB; EPO; JPO;	2003/04/16 17:17
_	49	<pre>(((network adj processor\$1) NP) and (driver\$1 near5 (module\$1 component\$1 API\$1))) and ((dependent specific) near4 (message\$1 data request\$1))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/04/16

				10000/04/16
_	24	((((network adj processor\$1) NP) and	USPAT;	2003/04/16
		(driver\$1 near5 (module\$1 component\$1	US-PGPUB;	17:22
		API\$1))) and ((dependent specific) near4	EPO; JPO;	
		(message\$1 data request\$1))) and	IBM_TDB	1
	1	((in\$1dependent common) near3 (message\$1		
	2.4	data request\$1))		0000/04/16
-	34	"5802278"	USPAT;	2003/04/16
			US-PGPUB;	17:22
			EPO; JPO;	
		F000070	IBM_TDB	0000 (04 (16
-	1	5802278.pn.	USPAT;	2003/04/16
			US-PGPUB;	17:22
			EPO; JPO;	
	42281	/driverel same (module)	IBM_TDB USPAT;	2003/04/16
-	42201	(driver\$1 same (module\$1 component\$1 layer\$1 API\$1)) and ((cross\$1 multiple	US-PGPUB;	17:33
		independent) adjs platform\$1)	EPO; JPO;	17:33
		Independency adjs placions;	IBM TDB	
	11156	/driverel near2 /modulet1 componentel	USPAT;	2003/04/16
-	11136	(driver\$1 near3 (module\$1 component\$1 layer\$1 API\$1))	US-PGPUB;	17:33
		Tayerar Arrain	EPO; JPO;	17.33
_	8458	((driver\$1 near3 (module\$1 component\$1	IBM_TDB USPAT;	2003/04/16
- ·	0438	((drivers) hears (modules) components) layer\$1 API\$1)))	US-PGPUB;	17:33
		independent) adjs platform\$1)	EPO; JPO;	1,.55
		independent, adja pratroimari	IBM TDB	
I _	3568	(((driver\$1 near3 (module\$1 component\$1	USPAT;	2003/04/16
	3360	layer\$1 API\$1))) and ((cross\$1 multiple	US-PGPUB;	17:33
		independent) adjs platform\$1)) and	EPO; JPO;	17.55
		(packet frame)	IBM TDB	
	199	((((driver\$1 near3 (module\$1 component\$1	USPAT;	2003/04/16
	199	layer\$1 API\$1))) and ((cross\$1 multiple	US-PGPUB;	17:34
		independent) adjs platform\$1)) and	EPO; JPO;	17.54
		(packet frame)) and ((os platform) near3	IBM TDB	
		(dependent independent))	1511_155	1
_	85	(((((driver\$1 near3 (module\$1 component\$1	USPAT;	2003/04/16
-	"	layer\$1 API\$1))) and ((cross\$1 multiple	US-PGPUB;	17:34
	}	independent) adjs platform\$1)) and	EPO; JPO;	17.31
	ļ	(packet frame)) and ((os platform) near3	IBM TDB	
		(dependent independent))) and		
		((translat\$3 convert\$3) near3 (data		
		message\$1 request\$1))		
_	1350	(control adj2 processor\$1) same driver\$1	USPAT;	2003/08/18
		, (ottoo and processes, and ottoo an	US-PGPUB;	16:44
			EPO; JPO;	
			IBM TDB	
-	4	((control adj2 processor\$1) same	USPAT;	2003/08/18
	1	driver\$1) and (driver\$1 near5 independent	US-PGPUB;	16:41
		near5 (system OS))	EPO; JPO;	
		· ·	IBM_TDB	
-	5	((control adj2 processor\$1) same	USPAT;	2003/08/18
		driver\$1) and (driver\$1 near5 independent	US-PGPUB;	16:42
		near10 (system OS platform))	EPO; JPO;	
	[<u> </u>	IBM_TDB	
-	5	((control adj2 processor\$1) same	USPĀT;	2003/08/18
	1	driver\$1) and (driver\$1 near5 independent	US-PGPUB;	16:42
		near5 (system OS platform))	EPO; JPO;	
			IBM_TDB	
-	30		USPĀT;	2003/08/18
1		and (NP (network adj processor\$1))	US-PGPUB;	16:44
	1		EPO; JPO;	
	1		IBM_TDB	
-	277	(control adj2 processor\$1) and driver\$1	USPAT;	2003/08/18
		and (NP (network adj processor\$1))	US-PGPUB;	16:45
			EPO; JPO;	
			IBM_TDB	
-	0	(((control adj2 processor\$1) and driver\$1	USPAT;	2003/08/18
		and (NP (network adj processor\$1))) and	US-PGPUB;	16:45
		(driver\$1 same (module\$1 component\$1	EPO; JPO;	
L		DLL\$1))) and (driver near5 independent)	IBM_TDB	

_	150	(device adj driver\$1) near5 (independent	USPAT;	2003/08/18
		near6 (platform OS system device\$1	US-PGPUB;	16:47
		(operating adj system)))	EPO; JPO;	ļ.
			IBM_TDB	
-	13	((device adj driver\$1) near5 (independent	USPAT;	2003/08/18
		near6 (platform OS system device\$1	US-PGPUB;	16:47
		(operating adj system)))) and ((control	EPO; JPO;	İ
		network) adj processor\$1)	IBM_TDB	
-	90	((control adj2 processor\$1) and driver\$1	USPAT;	2003/08/18
		and (NP (network adj processor\$1))) and	US-PGPUB;	17:06
		(driver\$1 same (module\$1 component\$1 DLL\$1))	EPO; JPO;	
	2196	independent near5 driver\$1	IBM_TDB USPAT;	2003/08/18
	2190	Independent hears drivery	US-PGPUB;	17:07
			EPO; JPO;	17.07
			IBM TDB	
_	449	(independent near5 driver\$1) and	USPAT;	2003/08/18
	1	(driver\$1 near5 (component\$1 module\$1	US-PGPUB;	17:07
		DLL\$1))	EPO; JPO;	
			IBM TDB	
-	5	((independent near5 driver\$1) and	USPAT;	2003/08/18
		(driver\$1 near5 (component\$1 module\$1	US-PGPUB;	17:08
		DLL\$1))) and (driver\$1 same (control adj	EPO; JPO;	
		processor\$1))	IBM_TDB	
-	4	` ` · · · · -	USPĀT;	2003/08/18
		(driver\$1 near5 (component\$1 module\$1	US-PGPUB;	17:09
		DLL\$1))) and (driver\$1 same (network adj	EPO; JPO;	
		processor\$1))	IBM_TDB	2002/00/12
-	0	((query\$3 access\$3) near3 ((process task)	USPAT;	2003/08/19
		adj2 table\$1)) same ((application\$1	US-PGPUB;	12:52
		program\$1 browser\$1) near3 (ID info\$	EPO; JPO;	
	26	identifier identity)) ((query\$3 access\$3) near3 ((process task)	IBM_TDB USPAT;	2003/08/19
_	20	adj2 table\$1)) same (application\$1	US-PGPUB;	12:47
		program\$1 browser\$1)	EPO; JPO;	12.37
		programmy browservi	IBM TDB	
_	50	((query\$3 access\$3) near3 ((process task)	USPAT;	2003/08/19
		adj2 table\$1)) and ((application\$1	US-PGPUB;	13:01
		program\$1 browser\$1) near3 (ID info\$	EPO; JPO;	
		identifier identity))	IBM TDB	
-	2	((control network) adj2 processor\$1) and	USPĀT;	2003/08/19
		((independent near3 system) near5	US-PGPUB;	13:04
		driver\$1) and ((translat\$3 convert\$3)	EPO; JPO;	
		near3 (packet\$1 message\$1 request\$1))	IBM_TDB	
-	30	1	USPAT;	2003/08/19
		(independent near8 driver\$1) and	US-PGPUB;	13:06
		((translat\$3 convert\$3) near5 (packet\$1	EPO; JPO;	
1_	0	message\$1 request\$1)) ((virtual adj machine) JVM VM) and	IBM_TDB USPAT;	2003/08/19
1 -		((Virtual adj machine) JVM VM) and ((process task) adj2 table\$1) and	US-PGPUB;	16:16
	ĺ	(\process task) adjz table i) and System System	EPO; JPO;	-0.10
	1	212 com4 racobrober cl	IBM TDB	
_	0	((virtual adj machine) JVM VM) and	USPAT;	2003/08/19
		System\$1getproperty	US-PGPUB;	16:18
	ĺ		EPO; JPO;	
			IBM_TDB	
-	0	(((virtual adj machine) JVM VM) and	USPĀT;	2003/08/19
		((process task) adj2 table)) and	US-PGPUB;	16:20
	1	(getProperty setProperty)	EPO; JPO;	
			IBM_TDB	0000/00/00
-	228	((virtual adj machine) JVM VM) and	USPAT;	2003/08/19
		((process task) adj2 table)	US-PGPUB;	16:24
	1		EPO; JPO;	
1_	35	///rintual add machine) TOM IOM and	IBM_TDB	2002/09/10
-	35	(((virtual adj machine) JVM VM) and ((process task) adj2 table)) and	USPAT;	2003/08/19
1		((process task) adj2 table), and (browser\$1 applet\$1)	US-PGPUB; EPO; JPO;	10.47
1		/wrowserdr abbrecari	IBM TDB	
1 -	1	5475851.pn.	USPAT;	2003/08/20
1			US-PGPUB;	11:10
1			EPO; JPO;	
1			IBM TDB	

				10000100
-	1	5319645.pn.	USPAT;	2003/08/20
			US-PGPUB;	11:11
			EPO; JPO;	1
			IBM_TDB	1
] -	1	5247693.pn.	USPAT;	2003/08/20
			US-PGPUB;	11:11
			EPO; JPO;	
			IBM_TDB	
-	659	driver\$1 near5 independent near10	USPAT;	2003/08/20
		(platform OS system device\$1 (operating	US-PGPUB;	17:27
	-	adj system))	EPO; JPO;	
	_		IBM_TDB	
-	9	(driver\$1 near5 independent near10	USPAT;	2003/08/20
		(platform OS system device\$1 (operating	US-PGPUB;	17:28
		adj system))) and (NP NPs (network adj	EPO; JPO;	
		processor\$1))	IBM_TDB	, _ ,
-	15	((driver\$1 near5 independent near10	USPAT;	2003/08/20
		(platform OS system device\$1 (operating	US-PGPUB;	17:30
		<pre>adj system))) and ((translat\$3 convert\$3)</pre>	EPO; JPO;	
		near5 (message\$1 request\$1 info\$ data)	IBM_TDB	
		same common)) and heterogeneous		0000 (55 (55
-	32	(driver\$1 near5 independent near10	USPAT;	2003/08/20
		(platform OS system device\$1 (operating	US-PGPUB;	17:41
		adj system))) and ((translat\$3 convert\$3)	EPO; JPO;	
		near5 (message\$1 request\$1 info\$ data)	IBM_TDB	
		same common)		0000/00/00
-	29	(((driver\$1 near5 independent near10	USPAT;	2003/08/20
ļ		(platform OS system device\$1 (operating	US-PGPUB;	17:42
		adj system))) and (translat\$3 convert\$3)	EPO; JPO;	
		near5 (message\$1 request\$1 info\$ data))	IBM_TDB	
		and (network packet\$1 message\$1)) and		
		heterogeneous		/
-	44	((driver\$1 near5 independent near10	USPAT;	2003/08/20
		(platform OS system device\$1 (operating	US-PGPUB;	17:44
1		adj system))) and (translat\$3 convert\$3)	EPO; JPO;	
		near5 (message\$1 request\$1 info\$ data))	IBM_TDB	
		and ((network control) adj2 processor\$1)		
-	176	((driver\$1 near5 independent near10	USPAT;	2003/08/20
	1	(platform OS system device\$1 (operating	US-PGPUB;	17:48
		adj system))) and (translat\$3 convert\$3)	EPO; JPO;	
		near5 (message\$1 request\$1 info\$ data))	IBM_TDB	
		and (network packet\$1 message\$1)		2222 /22 /22
-	224	(driver\$1 near5 independent near10	USPAT;	2003/08/20
		(platform OS system device\$1 (operating	US-PGPUB;	17:48
		adj system))) and (translat\$3 convert\$3)	EPO; JPO;	
	1	near5 (message\$1 request\$1 info\$ data)	IBM_TDB	1 2003 (00 (00
-	143	((driver\$1 near5 independent near10	USPAT;	2003/08/20
		(platform OS system device\$1 (operating	US-PGPUB;	17:49
		adj system))) and (translat\$3 convert\$3)	EPO; JPO;	
		near5 (message\$1 request\$1 info\$ data))	IBM_TDB	
l _	356	and (device adj driver\$1)	IICDATT.	2003/08/21
-	356	709/310,321-327.ccls. and (device adj	USPAT;	09:45
		driver\$1)	US-PGPUB; EPO; JPO;	09.40
			IBM TDB	
l _	67	(709/310,321-327.ccls. and (device adj	USPAT;	2003/08/21
-	6/		US-PGPUB;	09:45
		driver\$1)) and ((system OS) near3 independent)	EPO; JPO;	09.40
		Independency	IBM TDB	
_	36	((709/310,321-327.ccls. and (device adj	USPAT;	2003/08/21
		driver\$1)) and ((system OS) near3	US-PGPUB;	09:47
		independent)) and ((translat\$3	EPO; JPO;	""
		convert\$3)near4 (message\$1 packet\$1	IBM TDB	
	1	data\$1 request\$1 response\$1))	12.1_12.5	
l -	37		USPAT;	2003/08/21
		driver\$1)) and ((system OS) near3	US-PGPUB;	10:17
1		independent)) and ((translat\$3 convert\$3	EPO; JPO;	
		encod\$3 decod\$3)near4 (message\$1 packet\$1	IBM TDB	
		data\$1 request\$1 response\$1))		
	L	,	1	L

-	10	` · · · · · · · · · · · · · · · · · ·	USPAT;	2003/08/21
		driver\$1)) and ((translat\$3 convert\$3	US-PGPUB;	10:19
		encod\$3 decod\$3) near4 packet\$1)	EPO; JPO;	
			IBM TDB	i
-	0	(NP NPs (network adj processor\$1)) and	USPAT;	2003/08/21
		(control adj processor\$1) and (driver\$1	US-PGPUB;	10:41
		near5 independent near8 (OS system\$1	EPO; JPO;	
		platform\$1))	IBM TDB	-
-	1	(NP NPs (network adj processor\$1)) and	USPAT;	2003/08/21
		(control adj processor\$1) and (driver\$1	US-PGPUB;	10:40
		same (independent near8 (OS system\$1	EPO; JPO;	
		platform\$1)))	IBM TDB	
_	1	(NP NPs (network adj processor\$1)) and	USPAT;	2003/08/21
		(control adj processor\$1) and driver\$1	US-PGPUB;	10:40
		same (independent near8 (OS system\$1	EPO; JPO;]
		platform\$1))	IBM TDB	
_	1	(NP NPs (network adj processor\$1)) and	USPAT;	2003/08/21
		(driver\$1 near5 independent near8 (OS	US-PGPUB;	10:41
		system\$1 platform\$1))	EPO; JPO;	
			IBM TDB	
_	18	(NP NPs (network adj processor\$1)) and	USPAT;	2003/08/21
		(driver\$1 same independent near8 (OS	US-PGPUB;	10:41
		system\$1 platform\$1))	EPO; JPO;	
			IBM TDB	
_	165	(network adj processor\$1) and	USPAT;	2003/08/21
		((translat\$3 convert\$3 conversion) near3	US-PGPUB;	11:52
		packet\$1)	EPO; JPO;	
		•	IBM TDB	
_	14	(((network adj processor\$1) and	USPAT;	2003/08/21
		((translat\$3 convert\$3 conversion) near3	US-PGPUB;	11:53
	1	<pre>packet\$1)) and (device adj driver\$1))</pre>	EPO; JPO;	
		and (independent same (system\$1	IBM TDB	1
		platform\$1 OS))	_	1
_	31	((network adj processor\$1) and	USPAT;	2003/08/21
		((translat\$3 convert\$3 conversion) near3	US-PGPUB;	11:53
		<pre>packet\$1)) and (device adj driver\$1)</pre>	EPO; JPO;	
			IBM TDB	}